
THE ALL-NEW **ŠKODA KUSHAQ MONTE CARLO.**

GET THE LOOK THAT MATTERS.









- ŠKODA KUSHAQ Monte Carlo





Meet the perfect blend of ŠKODA's legendary heritage at the Rallye Monte-Carlo and style inspired by the Principality of Monaco. ŠKODA Monte Carlo is a glamorous embodiment of true automotive brilliance. Be it errands or escapades, its simply clever functionality keeps up with you. Meanwhile, its mesmerising exteriors and exquisite glossy black details stand a class apart.

ŠKODA Monte Carlo is an amalgamation of our historic triumphs and our continued efforts of bringing you the latest innovations.

Experience the finest fusion of stylish aesthetics and technology.



INTRODUCTION

GET THE LOOK THAT MATTERS.

The all-new ŠKODA KUSHAQ Monte Carlo brings you the finest fusion of aesthetics and automotive excellence. It embodies boldness from grille to rear. Make a unique style statement with every journey in this spectacular SUV.





EXTERIOR DESIGN

BEHOLD TRUE GREATNESS.

The all-new ŠKODA KUSHAQ Monte Carlo dominates every road with its grandeur. Its bold colour pulls focus even from a distance, while the glossy black elements perfectly complement its design. Turn heads every time you drive this trendsetter.





Monte Carlo Fender Garnish



Glossy Black ORVMs



ŠKODA Signature Grille with Glossy Black Surround



R17 Dual-tone VEGA Alloy Wheels With Red Brake Calipers*



Glossy Black Front Diffuser

*Red Brake Calipers available only with 1.5 TSI variant



Dark Chrome Door Handles

Monte Carlo Inscribed Scuff Plates



Dual-tone Tailgate Spoiler

Glossy Black Rear Diffuser and Trunk Garnish







INTERIOR DESIGN

MAKE EVERY JOURNEY SPECIAL.

The all-new ŠKODA KUSHAQ Monte Carlo reinvents drives with exceptional comfort. The car's Ventilated Red & Black Front Leather Seats keep you comfortable on every journey. Meanwhile, the Dual-tone Interior Décor with Ruby Red Metallic Inserts exudes opulence.





Red Ambient Lighting with Ruby Red Metallic Décor



Alu Pedals



20.32cm ŠKODA Virtual Cockpit with Red Theme



Front Door Handles with Ruby Red Metallic Décore



25.4cm Infotainment System with ŠKODA Play Apps & Red Theme



Monte Carlo Inscribed Red & Black Rear Leatherette Seats



Carbon Steel Painted Roof






PERFORMANCE

POWER MEETS EFFICIENCY.

Unleash the power on every adventure. Built to deliver performance without compromising on fuel efficiency, the all-new ŠKODA KUSHAQ Monte Carlo is the perfect partner for any escapade.

ENGINES AND TRANSMISSIONS



1.0 TSI (Turbo Stratified Injection) Engine

The 1.0 TSI engine, with 85 kW (115 PS) power and 178 Nm torque, delivers performance with efficiency. The engine is available in both manual and automatic transmissions.

1.5 TSI (Turbo Stratified Injection) Engine

The all-new ŠKODA KUSHAQ Monte Carlo's 1.5 TSI engine with ACT (Active Cylinder Technology) churns out 110 kW (150 PS) power and 250 Nm torque for exceptional acceleration and sporty drives. It is available in both manual and automatic transmissions.



Manual and Automatic Transmissions

Depending on the engine, the car can be equipped with 6 speed manual/automatic and 7-speed DSG transmission.





SAFETY

YOUR SAFETY COMES FIRST.

With 6 airbags, 10+ active and passive safety features, and cutting-edge technology, the all-new ŠKODA KUSHAQ Monte Carlo protects you and your loved ones on every journey.



Tyre Pressure Monitoring System

Avoid unnecessary pitstops by keeping tabs on your tyres. This feature detects and alerts the driver to a drop in pressure in any of the 4 tyres.

Electronic Stability Control

Stay on course even in tricky situations. ESC helps to maintain directional stability and tyre traction during understeer and oversteer.





Hill Hold Control

Conquer gradients with HHC that allows a safe start uphill without using the parking brake.

Multi-collision Brake

In case of an accident, MKB prevents further uncontrolled movement of the car to avoid more collisions.



Traction Control System

TCS/ASR helps stabilize the vehicle when driving on low-grip roads. It reduces the drive power transmitted to the wheels when they spin.

Anti-lock Braking System

ABS helps maintain control of the vehicle during emergency braking. An ABS intervention is noticeable from the pulsating movements of the brake pedal.

Rollover Protection

On identifying a rollover threat, the ESC brakes particular wheels as a preventive measure.

Brake Disc Wiping

The BDW feature enhances safety while driving in the rain by removing excess water from the brake to maintain a short braking distance.

Motor Slip Regulation

MSR helps to maintain control of the vehicle in the event of a sudden reduction in speed. If the wheels of the driven axle lock, MSR increases the engine speed. This reduces the braking effect of the engine to prevent the wheels from slipping.

Electronic Differential Locking System

EDS helps to stabilise the vehicle when driving on road surfaces with different grip under the individual wheels. XDS+ helps to keep the vehicle on the turn by effectively braking the wheels on the inner side of the turn. XDS is functional up to 30km/h.

ICOLOURS

TORNADO RED WITH CARBON STEEL PAINTED ROOF



CANDY WHITE WITH CARBON STEEL PAINTED ROOF



TECHNICAL SPECIFICATIONS

| Dry Single Plate Dry Single Plate Dry Single Plate Cythdra's 3 | TECHNICAL DESCRIPTION | | | 1.0 TSI/85 kW | | 1.5 T | |
|---|---|--------------------|---|---|-------------------------------|---|--|
| Page in type Corrector, in tile, is a subser result, in tile, is a subser result, inter, is a subser result, is a subser result, inter, is a s | Engine | | MT | AT | MT | | |
| Cylindars 3 I Displacement [m ¹] 999 I Max power/levs [WVPS] at rmp1 S6 / 5000-5500 I I Max power/levs [WVPS] at rmp1 178 / 1750-4500 I I Max power/levs [WMP1 lp 20] 17.20 17.95 I Tamamisoin - rule 115 of CMVR [kmp1 lp 20] 17.20 17.95 I Tamamisoin - rule 115 of CMVR [kmp1 lp 20] 17.20 17.95 I Tamamisoin - rule 115 of CMVR [kmp1 lp 20] 17.20 17.95 I Tamamisoin - rule 115 of CMVR [kmp1 lp 20] 17.20 17.95 I Tamamisoin - Rear ade Front Mikel Drive I | Engine type | | 1.0 TSI Petrol | , in-line, 4 Stroke Positive Ignition Direct Injection Engine | 1.5 TSI | l Petrol, in-line, 4 Strol Engine with Activ | |
| Displacement(m²)999(Max. proyub/reva[kW(Ps) atrpn]85 / 5000 -5500 | Clutch | | Dry Single Plate | Hydro Dynamic Torque Converter | Dry Single Plate | | |
| As: power/revs[kW[PS] at rpm]85 / 5000-5500InternationMax. torque/revs[km] torque17.9017.9017.9017.90Fasenission19.2017.2017.95International International Internat | Cylinders | | | 3 | | | |
| Max. torque/revs [Nm atr pm] 178 / 1750-4500 Image: consumption - rule 115 of CMVR [kmp] 19.20 17.20 17.95 Fuel consumption - rule 115 of CMVR [kmp] 19.20 17.20 17.95 Image: consumption - rule 115 of CMVR Image: consumption - | Displacement | [cm ³] | | 999 | | | |
| Fuel consumption - rule 115 of CMVR [kmpl] 19.20 17.20 17.95 Transmission Front Wheel Drive Transmission 6-Speed | Max. power/revs | [kW(PS) at rpm] | | 85 / 5000-5500 | | 110/ | |
| Transmission Front Wheel Drive Wheel drive 6-Speed 5-Speed 5-Speed </td <td>Max. torque/revs</td> <td>[Nm at rpm]</td> <td></td> <td>178 / 1750-4500</td> <td></td> <td>250 /</td> | Max. torque/revs | [Nm at rpm] | | 178 / 1750-4500 | | 250 / | |
| Wheel driveFront Wheel DriveTransmission6-Speed6-Speed6-SpeedChessisMcPherson suspension with lower triangular links and stabiliser barRear axleWcPherson suspension with lower triangular links and stabiliser barRear axleTwist Beam AxleBraking systemHydraulic Diagonal Split Vaccum Assisted Braking SystemBrake - rearDiacSteering systemElectro-Mechanical Steering (Power Assisted)WheelsSteering systemWystemElectro-Mechanical Steering (Power Assisted)Tyres205/558717- Monte Carlo)Tyres205/558717- Monte Carlo)Utight[mm]4225ValdhHeight[mm]Height[mm]Storage capacity[mm]Storage capacity[mm] <t< td=""><td>Fuel consumption - rule 115 of CMVR</td><td>[kmpl]</td><td>19.20</td><td>17.20</td><td>17.95</td><td></td></t<> | Fuel consumption - rule 115 of CMVR | [kmpl] | 19.20 | 17.20 | 17.95 | | |
| Transmission6-Speed6-Speed6-SpeedChassisMCPherson suspension with lower transular links and stabiliser barRear axleMCPherson suspension with lower transular links and stabiliser barRear axleMCPherson suspension with lower transular links and stabiliser barRear axleBrake and the suspension with lower transular links and stabiliser barRear axleBrake - frontDrumElectro-Mechanical Steering (Power Assisted)The suspension with lower transular links and stabiliser barRear axleDrumElectro-Mechanical Steering (Power Assisted)The suspension with lower transular links and stabiliser barOutside dimensionsUsed timensionsUsed timensionLength (mm]155Ground clearance (Laden condition) (mm]TotalStorge conditionImmStorge conditionImmStorge conditionImmCond clearance (Laden condition) (mm]TotalStorge conditionImmStorge conditionImmStorge conditionImm <td c<="" td=""><td>Transmission</td><td></td><td></td><td></td><td></td><td></td></td> | <td>Transmission</td> <td></td> <td></td> <td></td> <td></td> <td></td> | Transmission | | | | | |
| Chassis McPherson suspension with lower triangular links and stabiliser bar Rear axle McPherson suspension with lower triangular links and stabiliser bar Rear axle Twist Beam Axle Braking system Hydraulic Diagonal Split Vaccum Assisted Braking System Brake - front Disc Brake - rear Drum Steering system Electro-Mechanical Steering (Power Assisted) Vheels Alloy wheel 6.5J x 17° (Monte Carlo) Tyres 205/55R17- Monte Carlo Outside dimensions 225 Width [mm] 4225 Width [mm] 1760 Height [mm] 2651 Ground clearance (Laden condition) [mm] 188 Inside dimensions 188 Storage capacity [] 385 / 1405 Veights Kerb weight [kg] 120 Kerb weight [kg] 120 1285 Inside dimensions 1303 1303 Kerb weight [kg] 1640 1660 Length [kg] 1640 | Wheel drive | | | Front | Wheel Drive | | |
| Front axle McPherson suspension with lower triangular links and stabiliser bar Rear axle Twist Beam Axle Braking system Hydraulic Diagonal Split Vaccum Assisted Braking System Brake - rear Disc Steering system Electro-Mechanical Steering (Power Assisted) Wheels Alloy wheel 6.5J x 17* (Monte Carlo) Tyres 205/55R17- Monte Carlo) Outside dimensions 4225 Wridth [mm] 4225 Wridth [mm] 2661 Ground clearance (Laden condition) [mm] 155 Ground clearance (Unden condition) [mm] 188 1 Storage capacity [1] 385 / 1405 Veriation Kerb weight [kg] 1250 1303 1685 Liquids [kg] 1620 1303 1685 | Transmission | | 6-Speed | 6-Speed | 6-Speed | | |
| Rear axle Twist Beam Axle Braking system Hydraulic Diagonal Split Vaccum Assisted Braking System Brake - front Disc Brake - front Disc Brake - rear Drum Steering system Electro-Mechanical Steering (Power Assisted) Wheels Alloy wheel 6.5.J x 17" (Monte Carlo) Tyres 205/55R17- Monte Carlo) Outside dimensions 205/55R17- Monte Carlo) Length [mm] Height [mm] Height [mm] Ground clearance (Laden condition) [mm] Ground clearance (Unladen condition) [mm] Storage capacity [] Kerb weight [kg] Kerb weight [kg] Itaque Itags Kerb weight [kg] 1640 Liquids Itags | Chassis | | | | | | |
| Braking system Hydraulic Diagonal Split Vaccum Assisted Braking System Brake - rear Disc Brake - rear Drum Steering system Electro-Mechanical Steering (Power Assisted) Wheels Alloy wheel 6.5J x 17" (Monte Carlo) Tyres 205/5817.7 Monte Carlo Outside dimensions Length [mm] Height [mm] Wheels 1612 Wheld Learance (Laden condition) [mm] Groun clearance (Unladen condition) [mm] Steige capacity [0] Steige capacity [0] Weights 1303 Grous (legrance (log) [kg] Usights 1303 | Front axle | | | McPherson suspension with lo | wer triangular links and stab | iliser bar | |
| Brake - front Disc Brake - rear Drum Steering system Electro-Mechanical Steering (Power Assisted) Wheels Alloy wheel 6.5J x 17" (Monte Carlo) Tyres 205/55R1- Monte Carlo Outside dimensions 205/55R1- Monte Carlo Length [mm] 4225 Width [mm] 1760 Height [mm] 1612 Wheel base [mm] 2651 Ground clearance (Laden condition) [mm] 2651 Inside dimensions 1760 Stering expacity [m] 385 / 1405 Veights [w] 1250 1303 Gross weight [kg] 140 1303 Isrues 1285 1303 1615 | Rear axle | | | Twist | Beam Axle | | |
| Brake - rear Drum Steering system Electro-Mechanical Steering (Power Assisted) Wheels Alloy wheel 6.5.J x 17° (Monte Carlo) Tyres 205/55R17- Monte Carlo Outside dimensions Uside dimensions Uside dimensions Uside dimensions Uside dimensions Uside dimensions Market | Braking system | | Hydraulic Diagonal Split Vaccum Assisted Braking System | | | | |
| Steering system Electro-Mechanical Steering (Power Assisted) Wheels Alloy wheel 6.5 J x 17* (Monte Carlo) Tyres 205/55R17- Monte Carlo Outside dimensions Length [mm] Vidth [mm] Height [mm] Vide base [mm] Ground clearance (Laden condition) [mm] Inside dimensions 1755 Storage capacity [] 385 / 1405 Weight [kg] 1250 1285 Kerb weight [kg] 1200 1285 Gross weight [kg] 1640 1660 Length [kg] 1640 1660 | Brake – front | | | | Disc | | |
| Wheels Alloy wheel 6.5J x 17" (Monte Carlo) Tyres 205/55R17- Monte Carlo Outside dimensions Length [mm] 4225 Width [mm] 1760 Height [mm] 1760 Height [mm] 2651 Ground clearance (Laden condition) [mm] 2651 Ground clearance (Unladen condition) [mm] 155 Inside dimensions 188 1 Storage capacity [] 385 / 1405 Weights [kg] 1250 1285 Kerb weight [kg] 1640 1660 Inguids 1303 1645 | Brake – rear | | | | Drum | | |
| Tyres 205/55R17- Monte Carlo Outside dimensions 4225 Length [mm] 4225 Width [mm] 1760 Height [mm] 1612 Wheel base [mm] 2651 Ground clearance (Laden condition) [mm] 155 Ground clearance (Unladen condition) [mm] 188 Inside dimensions Storage capacity [] 385 / 1405 Weights Kerb weight [kg] 1250 1285 1303 I Kerb weight [kg] 1640 1660 1685 I Liquids [kg] 1640 1660 1685 I | Steering system | | Electro-Mechanical Steering (Power Assisted) | | | | |
| Outside dimensions Length [mm] 4225 Width [mm] 1760 Height [mm] 1612 Wheel base [mm] 2651 Ground clearance (Laden condition) [mm] 155 Ground clearance (Unladen condition) [mm] 188 Iside dimensions Storage capacity [] 385/1405 Weights Kerb weight [kg] 1250 1285 1303 Integer Ingrasse 1400 1660 1685 Integer | Wheels | | | | | | |
| Length [mm] 4225 Width [mm] 1760 Height [mm] 1612 Wheel base [mm] 2651 Ground clearance (Laden condition) [mm] 155 Ground clearance (Unladen condition) [mm] 188 Inside dimensions 188 100 Storage capacity [] 385/1405 Weights 1250 1303 Kerb weight [kg] 1640 1660 1685 Liquids [kg] 1640 1660 1685 | Tyres | | 205/55R17- Monte Carlo | | | | |
| Width Imm 1760 Height Imm 1612 Wheel base Imm 2651 Ground clearance (Laden condition) Imm 155 Ground clearance (Unladen condition) Imm 188 Inside dimensions 188 1000 Storage capacity [I] 385/1405 Weights 1250 1285 1303 Gross weight [kg] 1640 1660 1685 | Outside dimensions | | | | | | |
| Height [mm] 1612 Wheel base [mm] 2651 Ground clearance (Laden condition) [mm] 155 Ground clearance (Unladen condition) [mm] 188 Inside dimensions 188 Storage capacity [] 385 / 1405 Weights Kerb weight [kg] 1250 1303 1303 Gross weight [kg] 1640 1660 1685 1101 Liquids I I I I I I | Length | [mm] | | | 4225 | | |
| Wheel base [mm] 2651 Ground clearance (Laden condition) [mm] 155 | Width | [mm] | | | 1760 | | |
| Ground clearance (Laden condition)[mm]155IGround clearance (Unladen condition)[mm]188IInside dimensionsStorage capacity[]385 / 1405WeightsKerb weight[kg]125012851303IGross weight[kg]164016601685ILiquids | Height | [mm] | 1612 | | | | |
| Ground clearance (Unladen condition) [mm] 188 Inside dimensions 385 / 1405 Storage capacity [] 385 / 1405 Weights 1250 1285 1303 1303 Gross weight [kg] 1640 1660 1685 I Liquids I <thi< th=""> I I I</thi<> | Wheel base | [mm] | | | 2651 | | |
| Inside dimensionsStorage capacity[I]385 / 1405Weights12851303Kerb weight[kg]1250128513031600Gross weight[kg]1640166016851685Liquids | Ground clearance (Laden condition) | [mm] | | 155 | | | |
| Storage capacity [] 385 / 1405 Weights Kerb weight [kg] 1250 1285 1303 1303 Gross weight [kg] 1640 1660 1685 1685 Liquids Image: Storage capacity of the st | Ground clearance (Unladen condition) | [mm] | | 188 | | | |
| Weights [kg] 1250 1285 1303 Gross weight [kg] 1640 1660 1685 Liquids Vertice Vertice Vertice Vertice | Inside dimensions | | | | | | |
| Kerb weight [kg] 1250 1285 1303 Gross weight [kg] 1640 1660 1685 Liquids Vertical Sector Vertical Sector Vertical Sector | Storage capacity | [1] | | 38 | 5 / 1405 | | |
| Gross weight [kg] 1640 1660 1685 Liquids | Weights | | | | | | |
| Liquids | Kerb weight | [kg] | 1250 | 1285 | 1303 | | |
| | Gross weight | [kg] | 1640 | 1660 | 1685 | | |
| Tank capacity [] | Liquids | | | | | | |
| | Tank capacity | [1] | | 50 | 0 Litres | | |

| rSI/110 kW |
|---|
| DSG |
| oke Positive Ignition Direct Injection ive Cylinder Technology |
| Dry Double Clutch |
| 4 |
| 1498 |
| / 5000-6000 |
| / 1600-3500 |
| 17.70 |
| |
| |
| 7-Speed |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 155 |
| 188 |
| |
| |
| 4242 |
| 1312 |
| 1700 |
| |
| |

| EQUIPMENT | MONTE CARLO |
|---|-------------|
| DESIGN | |
| Wheels | |
| R17 Dual-tone VEGA Alloy Wheels | |
| Spare Wheel - R16 | |
| Exterior Design & Chrome Décor | |
| Dark Chrome Door Handles | |
| Black Roof Rails with a load capacity of 50kg | |
| Dual-tone Tailgate Spoiler | • |
| Monte Carlo Fender Garnish | • |
| ŠKODA Signature Grill with Glossy Black Surround | |
| Rear Bumper Reflectors | |
| Exterior Colour Coding | |
| Glossy Black Front & Rear Diffuser | |
| Black side armoured cladding | • |
| Glossy Black ORVMs | |
| Glossy Black Plastic Cover on B-Pillar & C-Pillar | |
| Carbon Steel Painted Roof | |
| Glossy Black Trunk Garnish | • |
| Sporty Red Front Brake Calipers (available only for 1.5 TSI) | |
| Interior Design, Chrome Décor & Colours | |
| Dashboard with Dual-tone Interior Décor with Ruby Red Metallic Inserts | • |
| Premium Honeycomb Décor on Dashboard | • |
| Dual-tone Centre Console & Interior Front Door Handles with Ruby Red Metallic Inserts | |
| Chrome ring on the gear shift knob | |
| Black plastic handbrake with chrome handle button | |
| Chrome insert under gear-shift knob | • |
| Chrome trim surround on side air conditioning vents & insert on steering wheel | |
| Chrome trim on air conditioning duct sliders | • |
| Monte Carlo Inscribed Scuff Plates | • |
| SAFETY | |
| Illumination | |
| ŠKODA Crystalline LED Headlamps with Daytime Running Lights | |
| ŠKODA Crystalline Split LED Tail Lamps | |
| Front fog lamps with static cornering function | |
| Light Assistant - Auto Headlamps | |
| Automatic coming/leaving home lights | • |
| LED Reading Lamps - Front & Rear | |

| EQUIPMENT | MONTE CARLO |
|--|-------------|
| Red Ambient Lighting - Dashboard | • |
| Rear LED Number Plate Illumination | • |
| Visibility | |
| Anti-glare outside rear view mirrors | • |
| Automatic front wiper system with rain sensor | • |
| Rear wiper & defogger | • |
| Auto dimming interior rear view mirror | • |
| Braking & Stabilizing Systems | |
| ESC (Electronic Stability Control), ABS (Anti-lock Braking System) & EBD | • |
| MKB (Multi-collision Braking) | • |
| HHC (Hill Hold Control) | • |
| EDS (Electronic Differential Lock System), XDS & XDS+ (Over 30km/h) | |
| TCS (Traction Control System), MSR (Motor Slip Regulation) | |
| BDW (Brake Disc Wiping) | |
| ROP (Roll Over Protection) | • |
| Airbags | |
| Driver & Passenger Front Airbags | |
| Curtain Airbags | • |
| Front Side Airbags | • |
| Occupant Restraint | |
| Three-point seat belts at the front | • |
| Three-point rear outer and centre seat belt | • |
| Height adjustable head restraints at the front & rear | • |
| Front Seat Belt Reminder | • |
| More | |
| Start & Stop Recuperation | • |
| TPMS (Tyre Pressure Monitoring System) | • |
| Child-proof rear door locking | • |
| Child-proof rear window locking | • |
| ISOFIX for rear seats | |
| Door-open indicator | |
| Emergency triangle in the luggage compartment | |
| Dual-tone warning horn | |
| SECURITY | |
| Electronic Theft Deterrence | |
| Engine immobilizer with floating code system | |
| Anti-Theft Alarm | |

| EQUIPMENT | MONTE CARLO |
|--|----------------|
| Remote Operation | |
| KESSY (Engine Start/Stop & Locking/Unlocking of Door) | • |
| Remote control with foldable key | • |
| Central locking and unlocking of doors and boot lid | • |
| COMFORT | |
| Seats | |
| Rear seats split 60:40 foldable with center armrest | • |
| Height adjustment for driver seat | |
| Front Centre Armrest with Storage | • |
| Rear centre armrest | • |
| Upholstery | |
| Monte Carlo Inscribed Ventilated Red & Black Front Leather Seats | |
| Monte Carlo Inscribed Red & Black Rear Leatherette Seats | |
| Additional Upholstery | |
| Front & Rear Door Armrests with Red Stitching | • |
| Front Center Armrest with Red Stitching | |
| Steering Wheel | |
| 2-spoke Multi-function Steering with Red Stitching and Chrome Scroller | |
| Height & length adjustable steering wheel | • |
| Paddle Shifters | ■ (AT Only) |
| Infotainment & Connectivity | |
| 25.4 cm Infotainment System with ŠKODA Play Apps & Red Theme | • |
| Wireless Smartlink - Apple Carplay & Android Auto | • |
| ŠKODA Sound System with 6 High-performance Speakers & Subwoofer | |
| MyŠKODA Connect - Inbuilt Connectivity | |
| Climate Control | |
| Climatronic - Auto A/C with control touch panel & Air Care function | |
| Adjustable dual rear A/C vents | |
| Sunroof | |
| Electric Sunroof with Anti-pinch Technology | |
| Windows | |
| Power Windows - Front & Rear, 4x Control on Driver Side | • |
| One-touch automatic operation (Only Driver Side) | • |
| Bounce-back system (Only Driver Side) | • |
| More | |
| Alu Pedals | • |
| Dead Pedal for Foot Rest | |

| EQUIPMENT | MONTE CARLO |
|---|-------------|
| CONVENIENCE | |
| Information Display | |
| 20.32cm ŠKODA Virtual Cockpit with Red Theme | |
| Electronic Driving Aid | |
| Cruise Control | • |
| Rear view camera - with static guidelines | |
| Parktronic Sensor at the rear | |
| More | |
| 12V power socket in the front centre console | • |
| 2 x USB-C socket in the front (Data & Charging) | |
| Wireless Charging (With Select Smartphones) | |
| Front sun visors with vanity mirror on co-driver side | |
| Sharkfin antenna | |
| Four foldable roof grab handles | |
| STORAGE | |
| 385 litres of boot space with 2 fixed hooks and top tether points | |
| Storage compartment in the front and rear doors | |
| Bottle holders in the front & rear doors | |
| Cup holders - Centre Rear Armrest | |
| Storage compartment in the front centre console & centre armrest | |
| Glove box compartment with cooling | |
| Rear parcel shelf | • |
| Simply Clever Features | |
| Front Seat back Pockets (Driver & Co-Driver) | |
| SmartClip ticket holder | • |
| Elastic bands on both front doors | • |
| Two USB-C socket in rear (Charging) | • |
| Coat hook on rear roof handles | |
| Utility Recess on the Dashboard | • |
| Reflective Tape on all four doors | • |
| Smart Grip Mat for one-hand bottle operation | |



Dealer:

Download the MyŠKODA App for a hassle-free ownership experience.

www.skoda-auto.co.in | () Toll-free 18 00 27 00 260

Specifications given differ from model to model. Accessories shown may not be part of standard equipment. Always insist on genuine ŠKODA Auto parts and accessories available at authorised sales and service centres. Information relating to colours, prices, construction, technical details and equipment was valid at the time of issuance and these are subject to changes without any prior notice. All disputes are subject to the courts in Mumbai jurisdiction only. Terms and conditions apply.

#ŠKODA Warranty - 4 years/1 00 000 km; Promotional offer, additional warranty 3rd & 4th year. ŠKODA Assist - 4 years unlimited km. ŠKODA Maintenance Package - 4 years/60 000 km; Four periodic maintenance services at the interval of 15 000 km or one year (whichever comes first from the date of delivery), available at an attractive price. The features mentioned in the catalogue(brochure) are of Style variant.



Issue Date: May 2022